

**IN THE CLAIMS**

The following is a complete listing of the claims, which replaces all previous versions and listings of the claims.

1. (previously presented) An electronic system, comprising:  
at least one device having a universal serial bus (USB) port externally exposed;  
a wireless communication system for communicating information between a plurality of separate devices, the wireless communication system comprising:  
a dongle having an antenna for transmitting and receiving information and  
a USB connector for selective mating engagement with the USB port, wherein the weight of the dongle is supported entirely by the mating engagement of the USB connector to the USB port.
2. (original) The system as recited in claim 1, further comprising:  
a transmitter electrically coupled to the antenna.
3. (original) The system as recited in claim 2, wherein the transmitter is disposed within the dongle.
4. (original) The system as recited in claim 1, further comprising:  
a receiver electrically coupled to the antenna.
5. (original) The system as recited in claim 4, wherein the receiver is disposed within the dongle.

6. (original) The system as recited in claim 1, wherein the communication system utilizes a wireless communication standard.

7. (original) The system as recited in claim 6, wherein the wireless communication standard is the bluetooth wireless communication standard.

8. (original) The system as recited in claim 7, further comprising:  
an integrated circuit, the integrated circuit being a transceiver electrically coupled to the antenna.

9. (original) The system as recited in claim 8, wherein the integrated circuit is disposed within the dongle.

10. (canceled)

11. (previously presented) The system as recited in claim 8, wherein the at least one device comprises an enclosure and the integrated circuit is disposed within the enclosure and electrically coupled to the antenna in the dongle.

12-24. (canceled)

25. (previously presented) A computer system, comprising:  
a central processing unit having an enclosure, the enclosure having a first universal serial bus (USB) port and a processor disposed therein;

a peripheral device having a second recessed USB port; and

a wireless communication system for communicating information between the central processing unit and the peripheral device, the wireless communication system comprising :

at least one communication dongle having an antenna for transmitting and receiving information, and a USB connector for selective mating engagement with the first USB port and the second USB port; and

a data transceiver electrically coupled to the at least one communication dongle.

26. (previously presented) The system as recited in claim 25, wherein the data transceiver is disposed within the at least one communication dongle.

27. (original) The system as recited in claim 25, wherein the wireless communication system utilizes an industry standard for wireless communication devices.

28. (original) The system as recited in claim 27, wherein the industry standard is bluetooth.

29-33. (canceled)